


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
1	SHT 7 CH'D DIMENSION FROM .436/.432 TO .437 +.0/-0.005, ADDED REF DIMENSIONS	12/17/2012	JAG



ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	SPRING TENSIONER	1018	Ø1-1/2 X 1	2
			-3	1	SEAT	4140 Q & T	Ø1-3/4 X 3/4	3
			-5	1	CUTTER	0-1 DRILL ROD	Ø1-3/4 X 1-1/4	4
			-7	1	GUIDE	BRONZE	Ø5/8 X 1	5
			-9	1	BUSHING	BRONZE	Ø3/4 X 3/8	6
			-11A	1	STUD	4140 Q & T	Ø3/4 X 4	7
			-11B	1	STUD	4140 Q & T	Ø1/2 X 4	7
		B/O	-15	1	SPRIAL RETAINING RING	STEEL	Ø7/16 SHAFT MCMaster-CARR #91665A350	1
		B/O	-17	1	THRUST BEARING		Ø5/8 ID X 1-1/8 OD X 5/64 APPLIED #NTA-1018	1
		B/O	-19	2	THRUST WASHER		Ø5/8 ID X 1-1/8 OD X 1/16 APPLIED #TRB-1018	1
		B/O	-23	1	SPANNER WRENCH		Ø1-1/2 MCMaster-CARR #5475A13	NS
		B/O	-25	1	WAVE SPRING	STEEL	APPLIED SMALLEY RING CO # CS112-21	1
		B/O	-27	1	ROTATING FLANGE NUT	STEEL	3/8-16 MCMaster-CARR #90477A031	1
		B/O	-29	1	TOOTH GUARD (FOR SHIPPING ONLY)	VINYL	Ø1-9/16 ID X 5/8 LONG	NS

USAGE TABLE

BEARING #	STUD
X-XXXXXXXX	-11A
7-211527014	-11B





RED BARN MACHINE

PORTABLE BEARING CUTTERS

DWG NO.		RBSC7038-P		REV 1
MAT'L		DRAWN BY: GILBERT		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		APPROVED <i>D Weil</i>		
.XXX ± .005		HEAT		
.XX ± .01		TREAT		
.X ± .1		FINISH		
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R		SPEC		
2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL		
SCALE 1:1.5		DATE 10/4/2012		SHEET 1 OF 7

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
			APPROVED



SECTION A-A



(-1)

SPRING TENSIONER


RED BARN MACHINE	
TITLE PORTABLE BEARING CUTTER	
DWG NO. RBSC7038-P-1	REV 1
MAT'L 1018	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .005	FRACTIONS ± 1/32
.XX ± .01	ANGLES ± 5°
.X ± .1	
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 10/4/2012
SHEET 2 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED



SECTION B-B





(-3)
SEAT


 RED BARN MACHINE	
TITLE PORTABLE BEARING CUTTER	
DWG NO. RBSC7038-P-3	REV 1
MAT'L 4140 Q & T	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX $\pm .005$.XX $\pm .01$.X $\pm .1$	APPROVED  HEAT TREAT FINISH BLACK OXIDE
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	SPEC USED ON MODEL
SCALE 1:1	DATE 10/4/2012
SHEET 3 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL




DETAIL VIEW
SCALE 2 : 1
TYP TO 12 TEETH



SECTION D-D




(-5)
CUTTER



RED BARN MACHINE	
TITLE PORTABLE BEARING CUTTER	
DWG NO. RBSC7038-P-5	REV 1
MAT'L 0-1 DRILL ROD	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX $\pm .005$	HEAT TREAT 55-60 HRC
.XX $\pm .01$	FINISH BLACK OXIDE
.X $\pm .1$	SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	
SCALE 1:1	DATE 10/4/2012
SHEET 4 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED






⑦
GUIDE


RED BARN MACHINE	
TITLE PORTABLE BEARING CUTTER	
DWG NO. RBSC7038-P-7	REV 1
MAT'L BRONZE	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/32 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED <i>D Weil</i>
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	HEAT TREAT FINISH SPEC USED ON MODEL
SCALE 2:1	DATE 10/4/2012
SHEET 5 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
			APPROVED




(-9)
BUSHING

 RED BARN MACHINE	
TITLE PORTABLE BEARING CUTTER	
DWG NO. RBSC7038-P-9	REV 1
MAT'L BRONZE	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX \pm .005 .XX \pm .01 .X \pm .1 FRACTIONS \pm 1/32 ANGLES \pm 5°	APPROVED <i>D Weil</i> HEAT TREAT FINISH SPEC
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL
SCALE 2:1	DATE 10/4/2012
SHEET 6 OF 7	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CH'D DIMENSION FROM .436/.432 TO .437 +.0/-0.005, ADDED REF DIMENSIONS	12/17/2012	JAG	



(-11)

STUD

USAGE TABLE		
PART #	DIM A	USED WITH BEARING
-11A	Ø.748+.000/-0.002	X-XXXXXXX
-11B	Ø.498+.000/-0.002	7-211527014

RED BARN MACHINE	
TITLE PORTABLE BEARING CUTTER	
DWG NO. RBSC7038-P-11	REV 1
MAT'L 4140 Q & T	DRAWN BY: GILBERT
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°	APPROVED
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	HEAT TREAT FINISH BLACK OXIDE
SCALE 1:1	DATE 10/4/2012
SHEET 7 OF 7	USED ON MODEL